## **Gymnasium Area Safety Checklist**

Buil	lding Department	Room(s)	c	ontac	t Person	
Insp	pection Performed by	Date:				
			Υ	N N	/A References	
Gyn	nnasium Space					
1	Free of stored furniture/boxes/equipment along perimete	er walls & corners			29CFR1926.250	
2	Floors are clean and dry				29CFR1910.22	
3	Floors are clear of objects which may be tripping/slipping	g hazards			29CFR1910.22	
	Floor plates are secure in floor, hooks and plate in good floor	condition & flush with			29CFR1910.22	
	Floor plates for removable posts are flush with the floor				29CFR1910.22	
6						
					29CFR1910.36	
10	Are there no doorknobs or protruding handles on the gyr	n side of the door			29CFR1910.22	

25 Signs posted indicating that eye

Building	Department	Room(s)	Contact Person _		_
			Y N N/A	References	N

13 Are ceiling tiles in good repair/condition

10	Ground Fault Interrupters installed, labeled and operating correctly.		29CFR1910.304(g)(6)(vi)(c)(5); NFPA70,210.8(A)&(B)		
11	Energized parts, circuits, and equipment guarded against accidental contact.		NFPA 70E: 205.6		
Fire	Fire Prevention and Protection				
1	Fire extinguishers properly mounted, located, and identified.		29CFR1910.157(a)(1)		
2	Fire extinguishers adequate in number and type.		29CFR1910.157(a)(4)		
3	Fire extinguishers inspected, recharged, and maintained as required.		29CFR1910.157(a)(1)		
4					

			(12/2009);29CFR1910.141(g)(2)		
10	Benchtops impervious to water and resistant to chemicals.		OSHA 3404		
General Work Environment & Indoor Air Quality					
1	All areas properly illuminated. Glare and reflections avoided.		29CFR1926.56		
2	Noise levels are within acceptable limits or engineering controls established.		29CFR1910.95(c)		
3	Areas with high noise levels posted and hearing protection required to be used.		29CFR1910.145		
4	Work areas clean, sanitary, and orderly. (garbage disposed properly, etc.)		29CFR1910.141(a)(3)(ii)		
5	Work area properly ventilated for type of equipment or chemicals in use.		29CFR1910 Subpart G		
6	Vacuum systems used when possible instead of blowing or sweeping dusts.		NFPA 654,61,484,664 & 655		
7	Temperature and humidity seem to be within acceptable ranges.		OSHA 3430-04 (2011)		
8	Areas free of visible fungal/mold growth and associated odors.		OSHA 3304-04N (2006)		
9	Walls ceilings, floors free of signs of mold or moisture damage.		OSHA 3304-04N (2006)		
10	Air intake areas free of odor causing materials or hazardous chemicals.		OSHA Technical Manual, Section III: Ch. 2		
Per	Personal Protective Equipment (PPE)				