HAZARD COMMUNICATION

Small Entity Compliance Guide for Employers That Use Hazardous Chemicals

Occupational Safety and Health Administration
U.S. Department of Labor



TABLE OF CONTENTS

I. Introduction 1

II. Steps to an Effective Hazard Communication Program 7

1. Learn the Standard/Identify Responsible Staff 9
2. Prepare and Implement a Written Hazard Communication Program 11
3. Ensure Containers are Labeled 14
4. Maintain Safety Data Sheets 20
5. Inform and Train Employees 25
6. Evaluate and Reassess Your Program 28

III. Conclusion 29

Appendix A: Sample Written Hazard Communication Program 30

Appendix B: Quick Guide to Hazard Communication Training 33

Workers' Rights 36

OSHA Assistance, Services and Programs 36

NIOSH Health Hazard Evaluation Program 38

OSHA Regional Offices 39

How to Contact OSHA 40

I. INTRODUCTION

Chemicals have become an important element of almost every aspect of modern life. All of these chemicals—from cleaning fluids to pharmaceuticals, pesticides, and paints—are produced in workplaces, and may be used in workplaces downstream. While these chemicals have utility and benefits in their applications, they also have the potential to cause adverse effects. These adverse effects include both health hazards (such as carcinogenicity and sensitization), and physical hazards (for example, flammability and reactivity properties). In order to protect workers from these effects—and to reduce the occurrence of chemical source illnesses and injuries—employers need information about the hazards of the chemicals they use, as well as recommended protective measures. Workers have both a right and a need to know this information too, especially so that they can take steps to protect themselves when necessary.

No one knows exactly how many chemicals may be present in American workplaces. The total number of chemical substances that have been developed and registered in the Chemical Abstracts Service Registry reached 60 million in 2011—the last 10 million of those were added in less than two years. Many of them involve innovations such as the application of nanotechnology.

The revised Hazard Communication Standard is expected to build on the success of the original Hazard Communication Standard and prevent an estimated additional 585 injuries and illnesses and 43 fatalities annually. It will reduce trade barriers and result in estimated annualized benefits in productivity improvements for American businesses that regularly handle, store and use hazardous chemicals, as well as cost savings for American businesses when revising safety data sheets and labels for chemicals covered under the standard.

In 2012, the HCS was modified to align its provisions

"Employee" means a worker who may be exposed to hazardous chemicals under normal operating

HazCom 2012 refers to each of the defined hazards as a ***"hazard class."*** Most of these hazard classes are subsequently divided into one or more ***"hazard category(ies)."*** This classification is done by the chemical manufacturer or importer, and is based on the severity of the effect, and the type of data available to indicate each effect. This is important to employers because it leads directly to the information that is subsequently provided on labels and SDSs for the chemical. For example, there are four categories in the hazard class for flammable liquids. These categories are based primarily on flashpoints, so the lower the flashpoint, the more severe the effect. The warnings provided on labels will reflect this severity in different statements depending on which category the chemical falls into based on its flashpoint. The category itself does not appear on the label, but it is available on the SDS for the employer's reference. As an example of hazard categories under HazCom 2012, the following is the criteria for categorizing chemicals classified as flammable liquids:

Criteria for Flammable Liquids

Category	Criteria
1	Flash point < 23°C (73.4°F) and initial boiling point ≤ 35°C (95°F)
2	Flash point < 23°C (73.4°F) and initial boiling point > 35°C (95°F)
3	Flash point ≥ 23°C (73.4°F) and ≤ 60°C (140°F)
4	Flash point > 60°C (140°F) and ≤ 93°C (199.4°F)

As an employer who uses but does not

II. STEPS TO AN EFFECTIVE HAZARD COMMUNICATION PROGRAM

All workplaces where workers are exposed to hazardous chemicals must have a written hazard communication program that describes how the HazCom standard is implemented in that facility. When hazard communication is implemented effectively, it has significant benefits for both the emploandheRAM

1. L a
S a a /I
R b S a

- Obtain a copy of OSHA's Hazard Communication Standard.
- Become familiar with its provisions.
- Make sure that someone has primary responsibility for coordinating implementation.
- Identify staff for particular activities (e.g., training).

You are already on your way to accomplishing Step 1 by reading this guide. It is always best

for on-the-job training sessions. Early identification of the responsible workers, and their involvement in the development of your plan of action, will result in a more effective program design.

In order to ensure you have an effective program and address all of the necessary components, responsibility for implementation of hazard communication should be assigned to someone to coordinate. While different people may be responsible for certain parts of implementation, there should nevertheless be someone who has overall responsibility. Approaching compliance consistently, and comprehensively, is the key to success.

The person responsible for the overall coordination may not be the best person to accomplish all of the elements. For example, training workers may require different expertise than coordinating compliance. The standard allows employers the flexibility to do what is best in their own facilities as long as compliance with all elements is achieved.

2. P a a I W Ha a C ca P a

- Prepare a written plan to indicate how hazard communication will be addressed in your facility.
- Prepare a list or inventory of all hazardous chemicals in the workplace.

Pa a a (), W Ha a C ca P a , requires employers to prepare and implement a written hazard communication program. This does not need to be lengthy or complicated. The main intent of the requirement is to help ensure that compliance with the standard is done in a systematic way and that all elements are coordinated. Thus, the program must describe how the employer will address the requirements of paragraphs (f) Labels and Other Forms of Warning; (g) Safety Data Sheets; and (h) Employee Information and Training, in the workplace. A sample written program is provided in Appendix A of this guide.

In addition, the written program must include the following items:

- ***Paragraph (e)(1): A list of the hazardous chemicals known to be present in the workplace.*** The list may be kept using any ***product identifier*** from the SDS. Thus, the list may be kept by product name, common name, or chemical name. The important aspect of this requirement is that the term used on the list must also be available on both the SDS and the label so that these documents can be cross-referenced. The list can be compiled in whatever way the employer finds most useful and applicable to the workplace. A list of all hazardous chemicals in the entire workplace may be most suitable for very small facilities, where there are few work areas and all workers are potentially exposed to essentially the same products. For larger workplaces, it may be more convenient to compile lists of hazardous chemicals by work area and have them assembled together as the overall list for the workplace.

The list is an inventory of chemicals for which the employer must ensure that there is an SDS available. Compiling the list also helps employers keep track of the chemicals present, and to identify chemicals that are no longer being used, and thus could be removed from the workplace. Removing such chemicals may also reduce potential adverse effects that could occur in the workplace.

The best way to prepare a comprehensive list may be to survey the workplace. Purchasing records may also help and employers should establish procedures to ensure that purchasing procedures result in receiving SDSs before a material is used in the workplace. Prior to purchasing chemicals, review the hazards of the chemicals and evaluate if less hazardous chemicals can be used instead.

"Product identifier" means the name or number used foh przea5ra1aSpanrom

the factors that determine whether a chemical

3. E C a a Lab

- Keep labels on shipped containers.
- Label workplace containers where required.

Labels are the first part **(a a a ( ) Lab a O F Wa)** of the three-part approach to communicating information downstream mentioned earlier. A label must be on the immediate container of every hazardous chemical. The label is an immediate type of warning since it is present in the work area, right on the actual container of a hazardous chemical. It is a snapshot of the hazards and protective information -12(ar)-(m)3(i)-9(c)-19(a)-1(l.)-20( )]TJET Contof tnFon the 7(a, r)-6Cm-5(r o)-5(

Figure 4: Examples of Transport Pictograms



Some employers use third-party workplace label systems, such as those that have numerical ratings to indicate the hazards (e.g., National Fire Protection Association (NFPA) or Hazardous Materials Identification System (HMIS)). These may be used in conjunction with the supplemental information on the label to ensure that workers have complete information, as long as the ratings are consistent with the hazard definitions in HazCom 2012, i.e., the criteria used to assign the numerical ratings reflects the hazard categories in each hazard class in HazCom 2012. One note with regard to numerical ratings—these systems generally use the number 1 to indicate the lowest degree of hazard, and the number 4 as the highest degree. This is the opposite of the hazard category numbering in HazCom 2012. Therefore, if as an employer you are preparing such labels based on information on the SDS, you must ensure that the numbers are properly applied to reflect the accurate degree of hazard information. Category numbers do not appear on HazCom 2012 shipped container labels, and are not equivalent to the hazard rating systems.

HazCom 2012 hazard category numbers are not required to appear on shipped container labels, and are not equivalent to the NFPA and HMIS hazard rating systems.

The employer must make sure that labels in the workplace are legible and prominently displayed. While the label information must be in English, employers are free to add warnings in other languages if workers would find that helpful. OSHA has prepared QuickCards™ to describe the label elements (OSHA 3492), as well as illustrate the pictograms (OSHA 3491). These are available on the OSHA web page, or can be obtained from your local OSHA area office.

If your workplace is inspected by OSHA, CSHOs will be looking for at least the following aspects of your labeling approach:

1. Designation of person(s) responsible for ensuring compliant labeling of shipped and in-plant containers;
2. Description of written alternatives to labeling of stationary process containers (if used);
3. Appropriate labels on all workplace containers, including those received from a supplier, secondary containers, and stationary process containers;
4. A description and explanation of labels on both shipped and workplace containers included in the employee training program; and,
5. Procedures to review and update workplace label information when necessary.

H-a	S b -a
4. F -a a	(a) Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion; (b) Most important symptoms/effects, acute and delayed; (c) Indication of immediate medical attention and special treatment needed, if necessary.
5. F a	(a) Suitable (and unsuitable) extinguishing media; (b) Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products); (c) Special protective equipment and precautions for firefighters.
6. Acc a a a	(a) Personal precautions, protective equipment, and emergency procedures; (b) Methods and materials for containment and cleaning up.
7. Ha a a	(a) Precautions for safe handling; (b) Conditions for safe storage, including any incompatibilities.
8. E c / a c	(a) OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available; (b) Appropriate engineering controls; (c) Individual protection measures, such as personal protective equipment.
9. P ca a c ca	(a) Appearance (physical state, color, etc.); (b) Odor; (c) Odor threshold; (d) pH; (e) Melting point/freezing point; (f) Initial boiling point and boiling range; (g) Flash point; (h) Evaporation rate; (i) Flammability (solid, gas); (j) Upper/lower flammability or explosive limits; (k) Vapor pressure; (l) Vapor density; (m) Relative density; (n) Solubility(ies); (o) Partition coefficient: n-octanol/water; (p) Auto-ignition temperature; (q) Decomposition temperature; (r) Viscosity.

Header	Subheader
10. Stability and reactivity	(a) Reactivity; (b) Chemical stability; (c) Possibility of hazardous reactions; (d) Conditions to avoid (e.g., static discharge, shock, or vibration); (e) Incompatible materials; (f) Hazardous decomposition products.
11. Toxicological information	Description of the various toxicological (health) effects and the available data used to identify those effects, including: (a) Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact); (b) Symptoms related to the physical, chemical and toxicological characteristics; (c) Delayed and immediate effects and also chronic effects from short- and long-term exposure; (d) Numerical measures of toxicity (such as acute toxicity estimates); (e) Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA.
12. Ecological information (Non-mandatory)	(a) Ecotoxicity (aquatic and terrestrial, where available); (b) Persistence and degradability; (c) Bioaccumulative potential; (d) Mobility in soil; (e) Other adverse effects (such as hazardous to the ozone layer).
13. Disposal considerations (Non-mandatory)	Description of waste residues and information on their safe handling and methods of disposal,

5. I a T a E

- Train employees on the hazardous chemicals in their work area before initial assignment, and when new hazards are introduced.
- Include the requirements of the standard, hazards of chemicals, appropriate protective measures, and where and how to obtain additional information.

The third part of the hazard communication approach in HazCom 2012 is employee information and training **(a a a ( ) E I a a T a)**. The key requirement is in paragraph (h)(1):

> (h)(1) Employers shall provide employees with effective information and training on hazardous chemicals in their work area at the time of their initial assignment, and whenever a new chemical hazard

exposure to hazardous chemicals, such as appropriate work practices, emergency procedures, and personal protective equipment to be used; and,

- The details of the hazard communication program developed by the employer, including an explanation of the labels received on shipped containers and the workplace labeling system used by their employer; the SDS, including the format of the SDS (where each type of information is located) and how employees can obtain and use the appropriate

Tw 10.5 0 0 10.5 66 55P1g5H(e e)-7(Tf)]TJETEBTDhate 4/GS1</MCID 185A (b)-14(t)-16(ai)4(1m[(s)-9(hBT/TT/ 1 Tf1

The standard does not require employers to maintain records of employee training, but many employers choose to do so. This may help you monitor your own program to ensure that all workers are appropriately trained. Keeping records that document who was trained, when the training was conducted, and what was covered is also helpful to document compliance with OSHA's training requirement in case of an inspection. The standard does not require retraining on a regular schedule, it simply requires retraining if there is a new chemical hazard introduced into the work area. If your initial training program includes all potential hazards covered by HazCom 2012, there is no retraining required. However, it is good business practice to repeat and reinforce what is learned in training to make sure that workers retain the hazard information.

If you already have a hazard communication training program, you may simply have to update it to comply with HazCom 2012. In particular, by December 1, 2013, you will need to train your employees about the new label and SDS formats they will be seeing in their work areas. Additional hazard training is not required if you have already trained under the existing hazard communication requirements. However, after you receive all of the new labels and SDSs, and have updated your hazard communication program, you may find that there is a type of hazard on which employees have

6. E a a a R a Y P a

- Review your hazard communication program periodically to make sure that it is still working and meeting its objectives.
- Revise your program as appropriate to address changed conditions in the workplace (e.g., new chemicals, new hazards, etc.).

Because your hazard communication program must remain up to date, it will be necessary to periodically evaluate and reassess your program.

The information in your written program must be accurate. The list of hazardous chemicals required to be maintained as part of the written program will serve as an inventory. As new chemicals are purchased, the list must be updated. Revisions to the inventory of chemicals should be made when you eliminate chemicals in the workplace, or when you bring in a new chemical. The inventory also can be used to ensure that you have SDSs for all chemicals in the workplace, and such revisions are key to ensuring that is achieved. In addition, designation of people to handle different parts of the program should also [redacted] curate. Many companies have found it convenient to

III. CONCLUSION

OSHA believes that the Hazard Communication Standard is of critical importance to ensuring that hazardous chemicals are identified, and that proper measures are implemented in workplaces to achieve safe use and handling. By understanding the hazards of the chemicals, and using available information to pick the proper control measures to address these hazards, employers can achieve many benefits for themselves, as well as for their exposed workers. HazCom 2012 provides the framework for building a chemical safety and health management program in a workplace. Figure 6 illustrates the steps that have been discussed to ensure that a workplace hazard communication program is effective.

Figure 6: An Effective Hazard Communication Program

APPENDIX A: SAMPLE WRITTEN HAZARD COMMUNICATION PROGRAM

The folRD

(Identify procedures to be followed)

The hazardous chemical inventory is compiled and maintained by (**Na ـــ ـــ b ـــ ـــ a / a ـــ ـــ b**).

8. C ـــ ca U ab ـــ P ـــ

Work activities may be performed by workers in areas where chemicals are transferred through unlabeled pipes. Prior to starting work in these areas, the worker shall be informed by *(Name of responsible person and/or position)* about the identity and hazards of the chemicals in the pipe, as well as required precautionary measures required to 12(s r)-3 0 1926nol an1(.)11(C)]TJETEMC /Span <<

T a S	Fac C
I a a b c	Compliance with the requirements of the Hazard Communication Standard is a primary goal. Compliance will promote a safer workplace by ensuring that the potential hazards of chemicals

Ta S	Fac C
C c a	**P a a** : In order to train workers under the Hazard Communication Standard, the trainer must be familiar with: • the requirements of the standard that apply to the workplace; • the hazardous chemicals in the workplace to which workers are potentially exposed, as well as the types of hazards they pose; • the hazard communication program implemented in the workplace; and • the protective measures being employed in the workplace to prevent adverse effects from occurring. In addition to being thoroughly familiar with the material to be covered in the training, the trainer must be aware of the facilities available for the training, including the physical location, the type of equipment (e.g., a PowerPoint projector, computer), and plan the training session accordingly based on the conditions. **P a** : The purpose of the training is to convey information that is important to the student, and will achieve a safer workplace. Care should be taken to ensure that the facilities are conducive to a successful training session, and that the presentation is done in a way that motivates learning and a positive outcome. Worker participation helps to ensure that the learning objectives are accomplished. This can be done through hands-on examples, discussions, and other active means of conveying the required information.
E a a a c	Consideration should be given to including some sort of evaluation tool in the training to obtain feedback from the workers on the presentation, what formats might work better, and what they learned. This could be in the form of a sheet to be filled out by workers after the training. In evaluating the effectiveness of the program, you should observe how the training has changed worker behavior. For example, if workers have better compliance with use of protective measures (such as wearing gloves when appropriate), this could factor into the evaluation of the program.
I a	The trainers should use their own impressions as well as feedback from the students to improve the training before it is presented again. If workers are not interested in the training as it is conducted, do not appear motivated, and do not exhibit an increased knowledge of hazards and the use of protective practices, it may be necessary to review and revise the training to achieve a better outcome.

Following these seven steps should enable you to design and implement an effective hazard communication training program. A safer workplace benefits the employer as well as the worker, and their shared interest in this goal should help to achieve effective hazard communication training.

Free On-site Safety and Health Consultation Services for Small Business

OSHA's On-site Consultation Program offers free and confidential advice to small and medium-sized businesses in all states across the country, with priority given to high-hazard worksites. Each year, responding to requests from small employers looking to create or improve their safety and health management programs, OSHA's On-site Consultation Program conducts over 29,000 visits to small business worksites covering over 1.5 million workers across the nation.

On-site consultation services are separate from enforcement and do not result in penalties or citations. Consultants from state agencies or universities work with employers to identify workplace hazards, provide advice on compliance with OSHA standards, and assist in establishing safety and health management programs.

For more information, to find the local On-site Consultation office in your state, or to request a brochure on Consultation Services, visit www.osha.gov/consultation, or call 1-800-321-OSHA [6742].

Under the consultation program, certain exemplary employers may request participation in OSHA's **Sa a H a Ac R c P a (SHARP)**. Eligibility for participation includes, but is not limited to, receiving a full-service, comprehensive consultation visit, correcting all identified hazards and developing an effective safety and health management program. Worksites that receive SHARP recognition are exempt from programmed inspections during the period that the SHARP certification is valid.

OSHA Educational Materials

OSHA REGIONAL OFFICES

Region I
Boston Regional Office
(CT*, ME, MA, NH, RI, VT*)
JFK Federal Building, Room E340
Boston, MA 02203
(617) 565-9860 (617) 565-9827 Fax

Region II
New York Regional Office
(NJ*, NY*, PR*, VI*)
201 Varick Street, Room 670
New York, NY 10014
(212) 337-2378 (212) 337-2371 Fax

Region III
Philadelphia Regional Office
(DE, DC, MD*, PA, VA*, WV)
The Curtis Center
170 S. Independence Mall West
Suite 740 West
Philadelphia, PA 19106-3309
(215) 861-4900 (215) 861-4904 Fax

Region IV
Atlanta Regional Office
(AL, FL, GA, KY*, MS, NC*, SC*, TN*)
61 Forsyth Street, SW, Room 6T50
Atlanta, GA 30303
(678) 237-0400 (678) 237-0447 Fax

Region V
Chicago Regional Office
(IL*, IN*, MI*, MN*, OH, WI)
230 South Dearborn Street
Room 3244
Chicago, IL 60604
(312) 353-2220 (312) 353-7774 Fax

Region VI
Dallas Regional Office
(AR, LA, NM*, OK, TX)
525 Griffin Street, Room 602
Dallas, TX 75202
(972) 850-4145 (972) 850-4149 Fax
(972) 850-4150 FSO Fax

Region VII
Kansas City Regional Office
(IA*, KS, MO, NE)
Two Pershing Square Building
2300 Main Street, Suite 1010
Kansas City, MO 64108-2416
(816) 283-8745 (816) 283-0547 Fax

Region VIII
Denver Regional Office
(CO, MT, ND, SD, UT*, WY*)
Cesar Chavez Memorial Building
1244 Speer Boulevard, Suite 551
Denver, CO 80204
(720) 264-6550 (720) 264-6585 Fax

Region IX
San Francisco Regional Office
(AZ*, CA*, HI*, NV*, and American Samoa,
Guam and the Northern Mariana Islands)
90 7th Street, Suite 18100
San Francisco, CA 94103
(415) 625-2547 (415) 625-2534 Fax

Region X
Seattle Regional Office
(AK*, ID, OR*, WA*)
300 Fifth Avenue, Suite 1280
Seattle, WA 98104
(206) 757-6700 (206) 757-6705 Fax

* These states and territories operate their own OSHA-approved job safety and health plans and cover state and local government employees as well as private sector employees. The Connecticut, Illinois, New Jersey, New York and Virgin Islands programs cover public employees only. (Private sector workers in these states are covered by Federal OSHA). States with approved programs must have standards that are identical to, or at least as effective as, the Federal OSHA standards.

Note: To get contact information for OSHA area offices, OSHA-approved state plans and OSHA consultation projects, please visit us online at www.osha.gov or call us at 1-800-321-OSHA (6742).

HOW TO CONTACT OSHA

For questions or to get information or advice, to report an emergency, report a fatality or catastrophe, order publications, sign up for OSHA's e-newsletter *QuickTakes*, or to file a confidential complaint, contact your nearest OSHA office, visit www.osha.gov or call OSHA at 1-800-321-OSHA (6742), TTY 1-877-889-5627.

F a a c c ac .
W a OSHA. W ca .

The hazardous chemical inventory is compiled and maintained by (**Na b a / a b**).

8. C ca U ab P

Work activities may be performed by workers in areas where chemicals are transferred through unlabeled pipes. Prior to starting work in these areas, the worker shall be informed by *(Name of*