MSDS Material Safety Data Sheet The Blaster Chemical Companies, Inc.



PB Penetrating Catalyst

MSDS Number: PB - Aerosol Revision Date: 3/13/06

Page 1 of 5

PRODUCT AND COMPANY IDENTIFICATION

Product Name: PB Penetrating Catalyst

Revision Date: 3/13/06
MSDS Number: PB - Aerosol
Common Name: PB Blaster

Product Code: 16-PB, 8-PB, 8-PBS, PBTS, 20-PB, 26-PB

Manufacturer: The Blaster Chemical Companies, Inc.

8500 Sweet Valley Drive Valley View, Ohio 44125

(216) 901-5800 (216) 901-5801 fax

www.blasterproducts.com

COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients:

2

Cas #	Chemical Name	Perc.
64742945 64742478 64742650 68131408 124389	Solvent naphtha, petroleum heavy arom ** Distillates, petroleum hydrotreated lig Distillates, petroleum solvent-dewaxed Alcohols, C11-15-secondary, ethoxylated Carbon dioxide (propellant)	40- 50% 30- 40% 20- 30% 0- 3% 0- 3%

^{**} solvent naptha contains 1-7% Napthalene (91-20-3) and 0-1% Pseudocumene (95-63-6)

3 HAZARDS IDENTIFICATION

Route of Entry: Eyes, skin, inhalation, ingestion

Target Organs:

Inhalation: Inhalation of spray mist may cause irritation to the respiratory tract.

Skin Contact: Repeated or prolonged contact with skin may cause mild irritation and possibly dermatitis.

Eye Contact: Likely to cause immediate or delayed irritation. Irritation will show as redness and/or swelling of the

eyes.

Ingestion: Ingestion may cause irritation to the mouth, esophagus and stomach.

May aggravate pre-existing skin and respiratory disorders.

Notice: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal.





PB Penetrating Catalyst

MSDS Number: PB - Aerosol Revision Date: 3/13/06

Page 2 of 5

4 FIRST AID MEASURES

Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Continue

to monitor. Get medical attention.

Skin Contact: Remove contaminated clothing immediately! Wash skin with soap and water. If irritation develops, seek

medical attention.

Eye Contact: Flush eye(s) with water for 15 minutes. Get medical attention. If eye irritation persists, obtain medical

treatment.

Ingestion: Do not induce vomiting! Get medical attention immediately!

5 FIRE FIGHTING MEASURES

Flash point: 155°F ASTM D-56 (TCC)

Extinguishing Media: Dry chemical, carbon dioxide or foam is recommended. Water may be ineffective for extinguishment, but can be useful in minimizing or dispersing vapors, protecting personnel and cooling containers. If containers are not properly cooled they can rupture in the heat of a fire. Avoid spreading burning liquid with water used for cooling purposes.

Unusual Fire & Expolsion Hazards: Level 3 Aerosols - Contents Under Pressure!

ACCIDENTAL RELEASE MEASURES

Leaking aerosol cans should be put into suitable container until the internal pressure has dissipated. Use suitable absorbents to collect liquid product. Consult regulations for the disposal of the container, liquid and absorbents.

7 HANDLING AND STORAGE

Handling Precautions: Use in accordance with good industrial workplace practices. Avoid unnecessary contact. Wash

thoroughly after handling. Use with good ventilation.

Storage Requirements: Store in a dry place away from excessive heat. Store containers with lids on and properly

labeled.

Do not store at temperatures above 120 degrees F.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: Protective Equipment:

6

Eye wash stations and emegrency showers should be immediately available.

Eyes and Face: Standard safety glasses with splash shields typically offer adequate protection. Where excessive splashing or spraying is possible, a face shield should be used.

Skin and clothing: Excessive contact should be avoided. Neoprene gloves, boots and aprons will provide adequate protection when contact cannot be avoided. Remove and wash any contaminated clothing immediately. Wash thoroughly after handling.

Respiratory: Good general ventilation should be sufficient to control airborne levels. Maintain airborne concentrations below OSHA established exposure limits of ingredients in Section 2.

Exposure Guidelines/Other: The Blaster Chemical Companies takes no responsibility for determining what measures are

required for personal protection in any specific application. This information should be used

with discretion.

MSDS Material Safety Data Sheet The Blaster Chemical Companies, Inc.



PB Penetrating Catalyst

MSDS Number: PB - Aerosol Revision Date: 3/13/06

Page 3 of 5

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Orange viscous oily

Physical State: Liquid Boiling Point: 352 F

Odor: Heavy aromatic Freezing/Melting Pt.: Not determined

pH: Not determined Solubility: n

Vapor Pressure: Not determined Spec Grav./Density: 0.87 (water = 1)

Vapor Density: >1 (air = 1)

Heat Value: Not determined VOC: Not determined Evap. Rate: <1 (NBA = 1)**Bulk Density:** Not determined Octanol: Not applicable Molecular Weight: Not determined Particle Size: Not applicable Not applicable Softening Point: Viscosity: Not determined Percent Volatile: Not determined Not determined Sat. Vap. Concentrat.: Molecular Formula: Not determined

10 STABILITY AND REACTIVITY

Stability: This product is stable.

Conditions to avoid: Avoid excessive heat, sources of ingition and excessive water.

Materials to avoid (incompatability): Avoid contact with strong oxidizing agents and strong reducing agents (strong acids

or bases.) Avoid mixture with water.

Hazardous Decomposition products: Carbon monoxide, carbon dioxide, and various hydrocarbons.

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Toxicological information on this product as a mixture has not been determined. See section 15 for reportable ingredients.

12 ECOLOGICAL INFORMATION

Ecological information on this product as a mixture has not been determined.

13 DISPOSAL CONSIDERATIONS

Used or unused product should be disposed of in accordance with local, state, and federal regulations. Some special regulations may exists for the disposal of empty aerosol containers.

Empty containers may contain residual pressure and contents. They should be handled with the same precautions as the product.

14

TRANSPORT INFORMATION

Dept. of Transportation (DOT):





PB Penetrating Catalyst

MSDS Number: PB - Aerosol Revision Date: 3/13/06

Page 5 of 5

16

OTHER INFORMATION

Manufacturer's Disclaimer:

To the best of our knowledge, the information contained herein is accurate. However, neither The Blaster Chemical Companies nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazard which exists.

HMIS Ratings: NFPA Ratings:

 Health:
 2
 Health:
 2

 Fire:
 2
 Fire:
 2

 Reacitivity:
 0
 Reacitivity:
 0

END OF MSDS DOCUMENT