MATERIAL SAFETY DATA SHEET: BLUE BEAST

Section I - General Information

(000000-000000- - 0567)

Date of Issue:

7/10/2006 12:00:00 AM

Chemical Name & Synonyms:

N/A

Chemical Family: AMINE/GLYCOL ETHER AQUEOUS SOLUTION

Manufacturer Name:

CHEMSEARCH DIV. OF NCH CORP.
Manufacturer Address:

BOX 152170 IRVING, TX 75015

Prepared By: R Mohochi/Chemist Supercedes:

5/31/2002 12:00:00 AM Trade Name & Synonyms:

BLUE BEAST

Formula is a mixture: [ ]

Product Code Number:

Emergency Phone Number: 800-424-9300

Section II - Hazardous Ingredients

THE HAZARDS PRESENTED BELOW ARE THOSE OF THE INDIVIDUAL COMPONENTS

STEL 
 TLV
 PEL
 STEL

 N/E
 1
 N/E
 2
 N/E
 <u>CAS #</u> 94 Chemical Name (Ingredients) Hazard SAFROL CARC/IRR

#### Eve Contact:

IMMEDIATELY RINSE THE EYES WITH WATER. REMOVE ANY CONTACT LENSES AND CONTINUE FLUSHING FOR AT LEAST 15 MINUTES. HOLD THE EYELIDS APART TO ENSURE RINSING OF THE ENTIRE SURFACE OF THE EYES AND LIDS WITH WATER. GET IMMEDIATE MEDICAL ATTENTION.

#### Skin Contact

IMMEDIATELY REMOVE CONTAMINATED CLOTHING AND SHOES. FLUSH AFFECTED AREAS WITH LARGE AMOUNTS OF WATER FOR 20 TO 30 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. DISCARD CLOTHING AND SHOES.

#### Ingestion:

GIVE 3 TO 4 GLASSES OF WATER, BUT DO NOT INDUCE VOMITING. IF VOMITING OCCURS, GIVE FLUIDS AGAIN. GET IMMEDIATE MEDICAL ATTENTION. DO NOT GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS OR CONVULSING PERSON.

### Notes to Physician:

ORGANIC ABBORMALITIES RESULTING FROM OVEREXPOSURE TO ETHYLENE GLYCOL MONOBUTYL ETHER BY ANY ROUTE LIKELY WOULD BE AN ABNORMAL BLOOD PICTURE CHARACTERIZED BY ERYTHROPENIA, RETICULOCYTOSIS, GRANULOCYTOSIS AND LEUKOCYTOSIS. INGESTION AND SUBSEQUENT VOMITING OF THIS PRODUCT CAN LEAD TO ASPIRATION OF THE PRODUCT INTO THE LUNGS WHICH CAN CAUSE DAMAGE AND MAY BE FATAL. DEPENDING ON THE AMOUNT INGESTED AND RETAINED AS WELL AS THE TOXICITY OF THE PRODUCT, GASTRIC LAVAGE SHOULD BE CONSIDERED. KEEP PATIENT'S HEAD BELOW HIPS TO PREVENT PULMONARY ASPIRATION. IF COMATOSE, A CUFFED ENDOTRACHAEL TUBE WILL PREVENT ASPIRATION.

## Section VI - Toxicity Information

-Product Contains Chemicals Listed as Carcinogen or Potential Carcinogen By: [ ] NTP [ ] OSHA [ ] Other VOC CONTENT: 20% BY WEIGHT; 21.2% BY VOLUME; 202 G/L SAFROL ORL-RAT LD50: 1950 MG/KG 3. ORL-RBT LDL0: 1 GM/KG 3. ORL-RAT TDL0: 200 G/KG/94W-C 3. SKN-RBT SDT: 500 MG/24H MOD 3. SKN-RBT LD50: >5 GM/KG 3. CARCINOGENIC DATA: PRODUCT CONTAINS APPROXIMATELY 90% SAFROLE WHICH HAS BEEN FOUND TO BE A CARCINOGEN IN ANIMALS. ITS EFFECT ON HUMANS IS UNKNOWN ALTHOUGH SAFROLE HAS BEEN PROHIBITED FOR USE IN HUMAN FOODS BY THE FDA. 4. IARC CLASSIFICATION: GROUP 2B NTP: PART B- REASONABLY ANTICIPATED TO BE A HUMAN CARCINOGEN. MONOETHANOLAMINE MONOETHANOLAMINE
ORL-RAT LD50: 1720 MG/KG 3.

SKN-RBT LD50: 1000 MG/KG 3.

SKN-RBT (DPEN): 505 MG MODERATE 3.

EYE-RBT SDT: 250 UG SEVERE 3.

IHL-MUS LC50: >2420 MG/M3/2H 3.

ORL-RAT TDLo: 115 G/KG/90D-C: CHANGES IN LIVER AND BLADDER WEIGHTS 3.

ORL-RAT TDLo: 500 MG/KG; FEMALE 6-15 DAYS AFTER CONCEPTION; FETAL DEATH AND MUSCULOSKELETAL SYSTEM ABNORMALITIES 3. ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE)
SKN-RBT (OPEN): 500 MG MILD 3.
EYE-RBT SDT: 100 MG SEVERE 3.
ORL-RAT LD50: 470 MG/KG 3.
SKN-RBT LD50: 220 MG/KG 3.
IHL-RAT LC50: 450 PPM/4H 3.
IHL-RAT TCLO: 100 PPM/6H (6-18D PREG): TER 3. ALTHOUGH THE LISTED EFFECTS WERE OBSERVED IN LABORATORY ANIMALS UPON INHALATION OF THIS MATERIAL, STUDIES HAVE ALSO SUGGESTED THAT THERE IS LITTLE POSSIBILITY OF SIGNIFICANT ADVERSE HEALTH EFFECTS IN HUMANS EXPOSED IN THE WORKPLACE TO LEVELS THAT COMPLY WITH THE OSHA PERMISSIBLE EXPOSURE LIMIT OF 50 PPM. AT 100 PPM SOME SUBJECTIVE COMPLAINTS WERE SEEN IN SENSITIVE INDIVIDUALS, AND EVEN AT 200 PPM THE PRIMARY COMPLAINT WAS IRRITATION. THIS APPEARS TO BE ONE OF THE FEW MATERIALS TO WHICH THE HUMAN IS MORE RESISTANT THAN THE USUAL EXPERIMENTAL ANIMALS. 5. INHALATION EXPOSURE TO ETHYLENE GLYCOL MONOBUTYL ETHER PRODUCED SOME EVIDENCE OF CANCER IN MICE IN A LONG-TERM BIOASSAY, NO EVIDENCE OF CANCER IN MALE RATS AND EQUIVOCAL EVIDENCE IN FEMALE RATS. 6. NONYLPHENOL POLYETHYLENE GLYCOL ETHER ORL-RAT LD50: 1.3 G/KG 4.

SKN-RBT LD50: 2 ML/KG/24HR OCCLUDED 4.

SKN-RBT: NO IRRITATION (UNCOVERED) 4.

EYE-RBT: 0.5 ML @ 5% DILUTION (SEVERE CORNEAL INJURY) 4.

CONTAINS SURFACTANT WHICH, BASED ON STUDIES WITH RABBITS INVOLVING THE SUSTAINED OCCLUDED CONTACT OF THE UNDILUTED SURFACTANT WITH SKIN, INDICATE THAT SUCH CONDITIONS MAY RESULT IN THE DEVELOPMENT OF INFLAMMATORY CHANGES IN THE LUNG. SEVERAL STUDIES HAVE RESULTED IN SLIGHTLY INCREASED KIDNEY WEIGHTS IN MALE RATS CONTINUOUSLY EXPOSED TO NONYLPHENOL AT DIETARY CONCENTRATIONS OF 200 PPM OR GREATER. TUBULAR DEGENERATION WAS OBSERVED AT 650 AND 2000 PPM. 4.

### MATERIAL SAFETY DATA SHEET: BLUE BEAST

### Neutralizing Agent:

N/A

# Section IX - Special Protection Information

#### Required Ventilation:

LOCAL VENTILATION IS RECOMMENDED TO CONTROL EXPOSURE FROM OPERATIONS THAT CAN GENERATE EXCESSIVE LEVELS OF VAPORS. LOCAL VENTILATION IS PREFERRED, BECAUSE IT PREVENTS DISPERSION INTO WORK AREAS BY CONTROLLING IT AT ITS SOURCE

#### Respiratory Protection:

RESPIRATORS SHOULD BE SELECTED BY AND USED UNDER THE DIRECTION OF A TRAINED HEALTH AND SAFETY PROFESSIONAL FOLLOWING REQUIREMENTS FOUND IN OSHA'S RESPIRATOR STANDARD (29 CFR 1910.134) AND ANSI'S STANDARD FOR RESPIRATORY PROTECTION (288.2-1992). FOR CONCENTRATIONS ABOVE THE TLV AND/OR PEL BUT LESS THAN 10 TIMES THESE LIMITS, A NIOSH APPROVED HALF-PACEPIECE RESPIRATOR EQUIPPED WITH APPROPRIATE CHEMICAL CARTRIDGES MAY BE USED. FOR CONCENTRATIONS GREATER THAN 10 TIMES THE TLV AND/OR PEL, CONSULT THE NIOSH RESPIRATOR DECISION LOGIC FOUND IN PUBLICATION NO. 87-116 OR ANSI 288.2-1992.

#### Glove Protection:

NEOPRENE OR NITRILE RUBBER GLOVES SHOULD BE WORN. ENSURE COMPLIANCE WITH OSHA'S PERSONAL PROTECTIVE EQUIPMENT (PPE) STANDARD FOR HAND PROTECTION, 29 CFR 1910.138.

#### Eye Protection:

CHEMICAL GOGGLES SHOULD BE WORN WHEN HANDLING. ENSURE COMPLIANCE WITH OSHA'S PERSONAL PROTECTIVE EQUIPMENT (PPE) STANDARD FOR EYE AND FACE PROTECTION. 29 CFR 1910.133.

## Other Protection:

WEAR PROTECTIVE CLOTHING WHEN HANDLING. A SAFETY SHOWER AND AN EYEWASH STATION SHOULD BE AVAILABLE. REMOVE SOAKED CLOTHING AND SHOES. WASH CLOTHING AND CLEAN SHOES BEFORE REUSE.

# Section X - Storage and Handling Information

Storage Temperature		Storage Co	Storage Conditions			
Max: 120°F	Min: 35°F	[ ] Indoors	[ ] Outdoors	[ ] Heated	[ ] Refrigerated	

### Precautions to be Taken in Handling and Storing:

ALWAYS STORE MATERIAL IN ITS ORIGINAL CONTAINER. KEEP THE CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUES WHICH MAY EXHIBIT THE HAZARDS OF THE PRODUCT. TO AVOID POSSIBLE EXPLOSION DO NOT PRESSURIZE, CUT, WELD, SOLDER, DRILL, GRIND, OR EXPOSE EMPTY CONTAINERS TO HEAT, HOT SURFACES, SPARKS, OR OPEN FLAMES. GROUND AND BOND CONTAINER WHEN HANDLING NEAR FLAMMABLE VAPORS AND ALL SOURCES OF IGNITION. KEEP FROM FREEZING. IF PRODUCT FREEZES ALLOW IT TO SLOWLY WARM TO ROOM TEMPERATURE AND STIR THOROUGHLY BEFORE USING.

#### Other Precautions:

KEEP OUT OF REACH OF CHILDREN. READ THE ENTIRE LABEL BEFORE USING THE PRODUCT. FOLLOW THE LABEL DIRECTIONS. TRACES OF FREE ETHYLENE OXIDE MAY BE PRESENT IN THIS PRODUCT AND COULD ACCUMULATE IN THE HEADSPACE OF STORAGE AND TRANSPORT VESSELS.

# Section XI - Regulatory Information

Chemical Name	CAS Number	Upper % Limit
GLYCOL ETHERS	N/A	20
SAFROL	94-59-7	1

Those Ingredients listed above are subject to the reporting requirements of 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR part 372.

Please call 1-800-527-9919 for additional information if you are a California customer. This MSDS is not intended for users in the state of California.

## Section XII - References

- THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS AND BIOLOGICAL EXPOSURE INDICES, ACGIH, 2006.
- OSHA PEL. REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES, CCINFOWeb, 2006.
- VENDOR'S MSDS.

  DISSOLVING THE MYTHS ABOUT EGBE AND HEALTH, CMA, GLYCOL ETHER PANEL, 1989.

  CHEMICAL MANUFACTURERS ASSOCIATION, NOVEMBER 9, 1998.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE IN LIGHT OF CURRENT FORMULATION. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF.

CHEMSEARCH DIV. OF NCH CORP. assumes no responsibility for personal injury or property damage caused by the use, storage, or disposal of the product in a manner not recommended on the product label. Users assume all risks associated with such unrecommended use, storage, or disposal of the product.

©2008 NCH Corporation All rights reserved.