

Boiling Point: N/A
Vapor Pressure (MM Hg/70 F): N/A
Vapor Density (Air=1): N/A
Evaporation Rate And Ref: NOT APPLICABLE
Solubility In Water: INSOLUBLE
Percent Volatiles By Volume: N/A

=====
Fire and Explosion Hazard Data
=====

Flash Point: NOT APPLICABLE
Lower Explosive Limit: N/A
Upper Explosive Limit: N/A
Extinguishing Media: CO2, DRY CHEMICAL, FOAM, WATER FOG.
Special Fire Fighting Proc: USE NIOSH/MSHA APPROVED SCBA &
FULL PROTECTIVE
EQUIPMENT (FP N).
Unusual Fire And Expl Hazrds: NORMAL COMBUST FORMS CARBON
DIOXIDE, WATER
VAPOR & MAY PRODUCE OXIDES OF SULFUR, NITROGEN &
PHOSPHOROUS. INCOMPLETE
COMBUST CAN PRODUCE CARBON MONOXIDE.

=====
Reactivity Data
=====

Stability: YES
Cond To Avoid (Stability): NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: MAY REACT W/STRONG OXIDIZING AGENTS,
SUCH AS
CHLORATES, NITRATES, PEROXIDES, ETC.
Hazardous Decomp Products: NO DATA AVAILABLE.
Hazardous Poly Occur: NO
Conditions To Avoid (Poly): NOT RELEVANT

=====
Health Hazard Data
=====

LD50-LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.
Route Of Entry - Inhalation: NO
Route Of Entry - Skin: NO
Route Of Entry - Ingestion: NO
Health Haz Acute And Chronic: EYE/SKIN CONT:THIS SUBSTANCE
IS NOT EXPECTED
TO CAUSE PRLNG/SIGNIFICANT IRRIT. DERMAL TOX:IF ABSORBED
THRU SKIN, THIS
SUBSTANCE IS CONSIDERED PRACTICALLY NONTOX TO INTERNAL
ORGANS. HIGH-PRESS
EQUIP INFO:ACCIDENTAL HIGH-VELOCITY INJECTION UNDER SKIN
OF MATLS OF THIS
TYPE MAY RSLT IN SERIOUS INJURY. SEEK(EFTS OF OVEREXP)
Carcinogenicity - NTP: NO
Carcinogenicity - IARC: NO
Carcinogenicity - OSHA: NO
Explanation Carcinogenicity: NOT RELEVANT
Signs/Symptoms Of Overexp: HLTH HAZ:MED ATTN AT ONCE
SHOULD ACCIDENT LIKE
THIS OCCUR. INITIAL WOUND AT INJECTION SITE MAY NOT APPEAR
TO BE SERIOUS AT
FIRST; BUT, IF LEFT UNTREATED, COULD RSLT IN
DISFIGUREMENT/ AMPUTATION OF
AFFECTED PART. INHAL/INGEST:SYSTEMIC TOX OF THIS SUBSTANCE
HAS NOT BEEN

DETERMINED. HOWEVER, IT SHOULD BE (SUPP DATA)
Med Cond Aggravated By Exp: NONE SPECIFIED BY
MANUFACTURER.
Emergency/First Aid Proc: INHAL:REMOVE TO FRESH AIR.
SUPPORT BRTHG (GIVE
O2/ARTF RESP) (FP N). EYE:FLUSH W/FRESH WATER FOR AT LST
15 MINS. REMOVE
CONT LENSES IF WORN. SKIN:WASH THORO W/SOAP & WATER.
REMOVE & WASH CONTAM
CLTHG. INGEST:GIVE WATER/MILK TO DRINK & TELEPHONE FOR MED
ADVICE. CONSULT
MED PERS BEFORE INDUCING VOMIT. IF MED ADVICE CANNOT BE
OBTAINED, THEN TAKE
PERS & PROD CNTNR TO NEAREST MED EMER (SUPP DATA)

=====
Precautions for Safe Handling and Use
=====

Steps If Matl Released/Spill: THIS MATERIAL IS NOT
EXPECTED TO PRESENT ANY
ENVIRONMENTAL PROBLEMS OTHER THAN THOSE ASSOCIATED W/OIL
SPILLS. CLEAN UP
SPILLS IMMEDIATELY, OBSERVING PRECAUTIONS IN PROTECTIVE
EQUIPMENT SECTION.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Method: PLACE CONTAMINATED MATERIAL IN
DISPOSABLE
CONTAINERS & DISPOSE OF IN A MANNER CONSISTENT W/APPLIC
REGS. CONTACT
LOCAL, STATE & FEDERAL ENVIRONMENTAL OR HEALTH AUTHORITIES
FOR APPROVED
DISPOSAL OF THIS MATERIAL.

Precautions-Handling/Storing: READ ENTIRE DOCUMENT & LABEL
BEFORE USING

THIS PRODUCT. AVOIDMSRns-Handling/S-Hae(OBSERVI600Ans-Handling/Storing:)-6, T*OFTREPREPEOI
T LENSESOCAL600.1(FO/ODUCTCTURER.)Tj [(PrecanERS)-60Othe-600.1(Handling/Stor:0(HEALTHD)-60
FO/3(TLOSER/MILK)-60VIOIFMED00.1(ADVHEOIL)]TJ T*(&)UFFICI 4(IN)-6!00.1(MEDD)-600.2(OS)-600
=====Steps IRespiraE

Suppl. Safety & Health Data: EFTS OF OVEREXP:PRACTICALLY
NON-TOX TO
INTERNAL ORGANS IF INHALED/SWALLOWED. THIS PROD CONTAINS
PETRO BASE OILS
WHICH MAY BE REFINED BY VARIOUS PROCESSED INCL SEV SOLV
EXTRACTION, SEV
HYDROCRACKING/SEV HYDROTREATING. FIRST AID PROC:TREATMENT
CENTER OR
HOSPITAL.

=====
Transportation Data
=====

=====
Disposal Data
=====

=====
Label Data
=====

Label Required: YES
Technical Review Date: 09NOV94
Label Date: 08NOV94
Label Status: G
Common Name: ULTRA-DUTY GREASE EP NLGI 2, CPS238011
Chronic Hazard: NO
Signal Word: CAUTION!
Acute Health Hazard-Slight: X
Contact Hazard-Slight: X
Fire Hazard-None: X
Reactivity Hazard-None: X
Special Hazard Precautions: ACUTE & CHRONIC:NONE LISTED BY
MANUFACTURER.
Protect Eye: Y
Protect Skin: Y
Protect Respiratory: Y
Label Name: CHEVRON
Label P.O. Box: 4054
Label City: RICHMOND
Label State: CA
Label Zip Code: 94808
Label Country: US
Label Emergency Number: 800-457-2022