

**DOW CORNING CORPORATION
Material Safety Data Sheet**

Page: 1 of 10

Version: 4.0

Revision Date: 2006/08/28

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE**1. IDENTIFICATION OF THE SUBSTANCE AND OF THE COMPANY**

Dow Corning Corporation
South Saginaw Road
Midland, Michigan 48686

24 Hour Emergency Telephone: (989) 496-5900

Customer Service: (989) 496-6000

Product Disposal Information: (989) 496-6315

CHEMTREC: (800) 424-9300

MSDS No.: 04028587

Revision Date: 2006/08/28

Generic Description: Silicone elastomer

Physical Form: Paste

Color: See product name

Odor: Alcoholic odor

NFPA Profile: Health 1 Flammability 1 Instability/Reactivity 0



DOW CORNING CORPORATION

DOW CORNING

**DOW CORNING CORPORATION
Material Safety Data Sheet**

Page: 3 of 10

Version: 4.0

Revision Date: 2006/08/28

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

DOW CORNING



DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

Viscosity: Not determined.
Freezing/Melting Point: Not determined.
Boiling Point: Not determined.
Vapor Pressure @ 25°C: Not determined.
Vapor Density: Not determined.
Solubility in Water: Not determined.
pH: Not determined.
Volatile Content: Not determined.
Flash Point: Not applicable.
Autoignition Temperature: Not determined.
Flammability Limits in Air: Not determined.

Note: The above information is not intended for use in preparing product specifications. Contact Dow Corning before writing specifications.

10. STABILITY AND REACTIVITY

Chemical Stability: Stable.

Hazardous Polymerization: Hazardous polymerization will not occur.

DOW CORNING

**DOW CORNING CORPORATION
Material Safety Data Sheet**

Page: 6 of 10

Version: 4.0

Revision Date: 2006/08/28

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

This table can be used to classify the ecotoxicity of this product when ecotoxicity data is listed above. Please read the other information presented in the section concerning the overall ecological safety of this material.

13. DISPOSAL CONSIDERATIONS**RCRA Hazard Class (40 CFR 261)**

When a decision is made to discard this material, as received, is it classified as a hazardous waste? No

State or local laws may impose additional regulatory requirements regarding disposal. Call (989) 496-6315, if additional information is required.

14. TRANSPORT INFORMATION**DOT Road Shipment Information (49 CFR 172.101)**

Not subject to DOT.

Ocean Shipment (IMDG)

Not subject to IMDG code.

Air Shipment (IATA)

Not subject to IATA regulations.

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

Pressure: No

Reactive: No

Section 313 Toxic Chemicals (40 CFR 372):

<u>CAS Number</u>	<u>Wt %</u>	<u>Component Name</u>
69991-68-0	3.0	Antimony chromium manganese titanium brown rutile
7429-90-5	1.0	Aluminum

Note: Chemicals are listed under the 313 Toxic Chemicals section only if they meet or exceed a reporting threshold.

Supplemental State Compliance Information**California**

Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm.

None known.

Massachusetts

<u>CAS Number</u>	<u>Wt %</u>	<u>Component Name</u>
13463-67-7	3.0 - 7.0	Titanium dioxide
7631-86-9	3.0 - 7.0	Silica, amorphous
1309-37-1	3.0 - 7.0	Iron oxide
7429-90-5	1.0 - 5.0	Aluminum
546-93-0	1.0 - 5.0	Magnesium carbonate

New Jersey

<u>CAS Number</u>	<u>Wt %</u>	<u>Component Name</u>
471-34-1	40.0 - 70.0	Calcium carbonate
70131-67-8	30.0 - 60.0	Dimethyl siloxane, hydroxy-terminated
63148-62-9	7.0 - 13.0	Polydimethylsiloxane

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE

57455-37-5	3.0 - 7.0	C.I. Pigment Blue 29
1317-61-9	3.0 - 7.0	Black iron oxide
1309-37-1	3.0 - 7.0	Iron oxide
7631-86-9	3.0 - 7.0	Silica, amorphous
13463-67-7	3.0 - 7.0	Titanium dioxide
69991-68-0	3.0 - 7.0	Antimony chromium manganese titanium brown rutile
51274-00-1	3.0 - 7.0	Yellow iron oxide
7429-90-5	1.0 - 5.0	Aluminum
14808-60-7	1.0 - 5.0	Quartz
1333-86-4	0.5 - 1.5	Carbon black

DOW CORNING(R) 795 SILICONE BUILDING SEALANT NATURAL STONE**16. OTHER INFORMATION**

Prepared by: Dow Corning Corporation

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally