

---

## 5. HEALTH EFFECTS DATA CON'T

---

### FIRST AID PROCEDURES

EYE CONTACT .....	Flush eye with water for 15 mins, lifting eyelid. If irritation persists, consult a physician.
SKIN CONTACT .....	Wash with soap & water. Seek medical attention if irritation persists.
INGESTION.....	Do not induce vomiting. Consult a physician.
INHALATION .....	Remove to fresh air & provide oxygen if breathing is difficult. Get medical attention if breathing is difficult.

### SPECIAL HEALTH EFFECTS-

CARCINOGEN (OSHA Guidelines) PROP 65: This product contains a chemical(s)

unless the gas flow can be stopped immediately. Allow the fire to burn itself out. If the sources cannot be shut off immediately, all equipment and surfaces exposed to the fire should be cooled with water to prevent overheating, flash-backs, or explosions. Control fire until gas supply can be shut off. Use proper protection equipment. Use fresh air respirator when exposure to hazardous

	approved procedures.
HANDLING & STORAGE .....	Do not allow can to exceed 120°F. Keep away from sources of heat and direct sunlight.
OTHER PRECAUTIONS.....	Use NIOSH approved respirator with an organic vapor cartridge; avoid prolonged breathing of vapors; protection provided by air purifying respirators is limited.

---

## 8. ADDITIONAL INFORMATION

---

concentrations of toxic gases is possible.  
 FIRE AND EXPLOSION HAZARDS..... This product releases Flammable Vapors at well below ambient temperature and readily forms flammable mixtures with air exposed to an ignition source. Its vapors are heavier than air and may travel long distances to a point of ignition, and then flash back. Alkane/chlorine gas mixtures have produced explosion.

---

## 5. HEALTH EFFECTS DATA

---

### SHORT TERM EFFECTS OF EXPOSURE

ROUTE OF ENTRY .....	Skin contact, Inhalation, Ingestion
(ACUTE AND CHRONIC).....	This material is an aspiration hazard and defats the skin. Breathing vapors of high concentrations may cause CNS depression.
EYE CONTACT .....	Slight irritation but does not injure eye tissue.
SKIN CONTACT.....	Low order of toxicity. Frequent or prolonged contact may irritate and cause dermatitis. Skin contact may aggregate an existing dermatitis condition.
INHALATION .....	High vapor/aerosol concentrations (greater than approximately 100 ppm) are irritating to the eyes and the respiratory tracts may cause headaches, dizziness, anesthesia drowsiness, unconsciousness, and other central nervous system effects, including death.
INGESTION.....	Small amounts of this product aspirated into the respiratory system during ingestion or vomiting may cause mild to severe pulmonary injury, possibly minimal toxicity.