



# Material Safety Data Sheet

Revision Date 21-Feb-2005

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product code** 53376  
**Product name** High Solids Ford Engine Blue Spray Paint  
**Recommended Use** Coating  
**Supplier** Lawson Products, Inc.  
1666 East Touhy Avenue  
Des Plaines, IL 60018  
(847)-827-9666

**Emergency telephone number** (888) 426-4851

## 2. HAZARDS IDENTIFICATION

**Aggravated Medical Conditions**



**Sensitivity to shock**

No information available.

**Sensitivity to static discharge**

No information available.

## 6. ACCIDENTAL RELEASE MEASURES

**Methods for cleaning up**

Personnel should wear appropriate protective equipment. Follow all precautions for handling. Please refer to appropriate sections of MSDS for additional information. Evacuate area of unprotected and unnecessary personnel. Do not allow product to reach sewage system, soil, surface or ground water, or any water course. Notify proper authorities if entry occurs. Do not flush with water or aqueous cleansing agents. Use diluted caustic solution. Soak up with inert absorbent material. Dispose of absorbent in accordance with local, state and federal regulations.

## 7. HANDLING AND STORAGE

**Handling**

Do not spray on a naked flame or any other incandescent material. Do not smoke. Protect against electrostatic charges.

**Storage**

Small pressurized containers of flammable product may be stored in areas suitable for ordinary combustibles with respect to construction, drainage, control of ignition sources, and ventilation except that they should not be stored in basements. Keep away from heat. Keep away from direct sunlight. Do not freeze.

**NFPA Storage Code**

Store as Level 3 Aerosol (NFPA 30B)

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Exposure limits**

Chemical Name	OSHA PEL (TWA)	OSHA PEL (Ceiling)	ACGIH OEL (TWA)	ACGIH OEL (STEL)
Acetone	1000 ppm 2400 mg/m <sup>3</sup>	-	500 ppm	750 ppm
Propane	1000 ppm 1800 mg/m <sup>3</sup>	-	1000 ppm listed under aliphatic hydrocarbon gases alkane C1-C4	-
Toluene	200 ppm	300 ppm	50 ppm	-
N-Butane	-	-	1000 ppm listed under aliphatic hydrocarbon gases alkane C1-C4	-
Isobutyl acetate	150 ppm 700 mg/m <sup>3</sup>	-	150 ppm	-
Ethylene glycol monopropyl ether	-	-	-	-
Methylisobutyl ketone	100 ppm 410 mg/m <sup>3</sup>	-	50 ppm	75 ppm
Titanium dioxide	15 mg/m <sup>3</sup> total dust	-	10 mg/m <sup>3</sup>	-
PM Acetate	-	-	-	-

**Ventilation and Environmental Controls**

Adequate ventilation should be provided to keep exposure levels below current acceptable exposure limits.

### **Hygiene measures**

Keep away from food, drink and animal feeding stuffs. Wash hands before breaks and immediately after handling the product.

### **Personal protective equipment**

#### **Respiratory protection**

None necessary under normal conditions. Use NIOSH approved respirator if TLV limit is exceeded.

#### **Hand protection**

Protective gloves. Impervious gloves.

#### **Eye protection**

Tightly fitting safety goggles.

#### **Skin and body protection**

No information available

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

## **10. STABILITY AND REACTIVITY**



Product code **53376**

Product name **High Solids Ford Engine Blue Spray Paint**

---

Chemical Name	ACGIH OEL - Carcinogens	
---------------	----------------------------	--

## 14. TRANSPORT INFORMATION

**DOT**

Consumer commodity (Propane,N-Butane),ORM-D,

**TDG**

AEROSOLS(Propane,N-Butane), Class 2.1,UN1950,PG

**IMDG/IMO**

Aerosols(Propane,N-Butane),UN1950,PG

**IATA**Aerosols, flammable(Propane,N-Butane),UN1950  
Hazard Class 2.1**MEX**

UN1950 Aerosols(Propane,N-Butane),2.2,

## 15. REGULATORY INFORMATION

Chemical Name	US EPA SARA 313 Emission Reporting
Toluene	Listed
Ethylene glycol monopropyl ether	Listed
Methylisobutyl ketone	Listed

**State Regulations**

Chemical Name	New Jersey - RTK	Pennsylvania - RTK	California Prop. 65
Acetone	Not Listed	Listed	Not Listed
Propane	Listed	Listed	Not Listed
Toluene	Listed	Listed	Developmental
N-Butane	Not Listed	Listed	Not Listed
Isobutyl acetate	Listed	Listed	Not Listed
Ethylene glycol monopropyl ether	Not Listed	Listed	Not Listed
Methylisobutyl ketone	Listed	Listed	Not Listed
Titanium dioxide	Not Listed	Listed	Not Listed
PM Acetate	Not Listed	Not Listed	Not Listed

Chemical Name	EINECS	DSL	NDSL	TSCA
Acetone	X	X	-	X
Propane	X	X	-	X
Toluene	X	X	-	X
N-Butane	X	X	-	X
	X			
Isobutyl acetate	X	X	-	X
Ethylene glycol monopropyl ether	X	X	-	X
Methylisobutyl ketone	X	X	-	X
Titanium dioxide	X	X	-	X
	X			
	X			
PM Acetate	X	X	-	X

**CPRC**

This product has been classified in accordance with the hazard criteria of the Controlled Product Regulations and the MSDS contains all of the information required by the Controlled Product Regulations

**16. OTHER INFORMATION**

NFPA		HMIS	
Health		Health	-
		Flammability	

**Reason for revision** No information available.

**Prepared By** T. Heidorn, MSDS Project Lead

The information accumulated herein is believed to be accurate, but is not warranted to be, whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.