Page 1 of 4 Friday, October 27, 2006

MSDS - Material Safety Data Sheet

Product Name: LIQUID WRENCH PENETRATING OIL (UPC: 078698120157)

MSDS No.: L112

I. Basic Information:							
Manufacturer	: RADIATOR SPECIALTY COMPANY						
Address: 600 RADIATOR ROAD							
City, ST Zip: INDIAN TRAIL, NC 28079							
Emergency C	ontact: Rocky Mountain Poision Control	Center					
Emergency Telephone Number: 303-623-5716							
Contact: Rob	ert Geer						
Information Telephone Number: 704-688-3430							
					2 Health	70	
Last Update: 10/27/2006 2 Flammability							
Chemical State: X Liquid Gas Solid 0 Reactivity							
Chemical Typ	e: Ture Mixture				C Pers. Pro	otection	
II. Ingredie	ents:						
Trade Sec	cret						
_	EHS IARC SARA						
CAS No.	Chemical Name	% Range	NTP	313 SUB Z	OSHA PEL	ACGIH TLV	Other Limits
124-38-9	Carbon dioxide	1.0 - 5.0	1 1	<u> </u>	N/AV	5000 ppm	
Proprietary	Fragance	0.1 - 1.0			N/D	N/D	
8008-20-6	Kerosene	40.0 - 70.0			N/AV	100 ppm	
64742-52-5	Naphthenic Petroleum Distillate	15.0 - 40.0			5 mg/m3	5 mg/m3	
64741-88-4	Solvent-Refined Heavy Paraffinic	0.1 - 1.0			5 mg/m3	5 mg/m3	
III. Hazare	dous Identification:						
Hazard Categ	ory:						
X Acute Chronic		X Fire		X Pressure		Reactive	
	entification Information: Flammable. Harmful or fatal if swallow	ed. Eye and ski	n irritant. Cor	ntents under pr	essure.		
Level 3 Ae							
IV. First A	id Measures:						
Route(s) of En	ntry: n, Inhalation, and Ingestion.						
Health Hazard	ds (Acute and Chronic):						

Signs and Symptoms:

Eye Contact: Irritant. Prolonged contact may cause conjunctivitis. Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis, dizziness, respiratory or lung irritation.

Ingestion: HARMFUL OR FATAL IF SWALLOWED. May cause burns to mouth, throat & stomach.

Page 2 of 4 Friday, October 27, 2006

MSDS - Material Safety Data Sheet Product Name: LIQUID WRENCH PENETRATING OIL (UPC: 078698120157)

MSDS No.: L112

Medical Conditions Generally Aggravated by Exposure:

N/F

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids. Get prompt medical attention. Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult give oxygen and get prompt medical attention. If breathing Asptypenityseinanthmay esydaRenhamogent prompts attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately. Aspiration of vomitus into the lungs can cause pneumonitis, which can be fatal.

Page 3 of 4 Friday, October 27, 2006

MSDS - Material Safety Data Sheet Product Name: LIQUID WRENCH PENETRATING OIL (UPC: 078698120157)

MSDS No.: L112

VIII. Exposure Controls/Personal Protection:

Ventilation Requirements:

Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

Personal Protective Equipment:

See Section 2 for applicable exposure limits. For prolonged exposure wear protective safety glasses, gloves, and apron.

IX. Physical and Chemical Properties:

Boiling Point: 320 F Melting Point: N/A

Evaporation Rate (Butyl Acetate = 1): N/A Vapor Pressure (mm Hg.): N/A

Specific Gravity (H20 = 1): 0.85000 Vapor Density (AIR = 1): N/A

Solubility In Water: Insoluble Appearance and Odor: Dark Liquid with petroleum odor

Other Information: VOC Content: 36.938

X. Stability and Reactivity:

Stability:

Product is stable

Incompatibility (Materials to Avoid):

Avoid contact with strong oxidizers

Decomposition/By Products:

Normal products of combustion, smoke, carbon dioxide, carbon monoxide, and sulfur trioxides.

Hazardous Polymerization:

Will not occur

XI. Toxicological Information:

N/D

XII. Ecological Information:

N/D

XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in aerosol recycling centers when empty. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations.

XIV. Transport Information:

Page 4 of 4 Friday, October 27, 2006

MSDS - Material Safety Data Sheet Product Name: LIQUID WRENCH PENETRATING OIL (UPC: 078698120157)

MSDS No.: L112