Permatex, Inc. 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839 Product name: RUST DISSOLVER GEL 12 FL.OZ <u>Item No:</u> 82138

# **6. ACCIDENTAL RELEASE MEASURES**

Spill Procedures: Neutralize with alkaline material such as soda ash or lime. Maintain good ventilation. Take up with an inert

absorbent. Store in a closed waste container until disposal.

# 7. HANDLING AND STORAGE

**Storage:** Store below 100 degrees F. Do not allow freezing.

Handling: Avoid contact with skin and eyes. Do not inhale vapors. Wash hands before eating and smoking..

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eyes: Safety glasses.

**Skin:** Rubber or plastic gloves.

**Ventilation:** General; local exhaust ventilation as necessary to control any air contaminants to within their exposure

limits (or to the lowest feasible levels when limits have not been established) during the use of this

product.

Respiratory Protection: An approved respirator (i.e. NIOSH, etc.) should be worn when exposures are expected to exceed the

applicable limits.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pink gel
Odor: Lime

**Boiling Point:** Approximately 212 degrees F.

pH: 1.5-2.5 Solubility in Water: SOLUBLE Specific Gravity: 1.18

VOC Content(Wt.%):

Vapor Pressure:

Vapor Density (Air=1):

Evaporation Rate:

2.4% by weight
12 mmHg @ 20°C
Not determined
Not Determined

# 10. STABILITY AND REACTIVITY

Chemical Stability:Stable at normal conditionsHazardous Polymerization:WILL NOT OCCUR

Incompatabilities: Caustics and powdered metals.

Conditions to Avoid:

Hazardous Products of Combustion: Oxides of phosphorus., Hydrogen

### 11. TOXICOLOGICAL INFORMATION

See Section 3

# 12. ECOLOGICAL INFORMATION

No data available

### 13. DISPOSAL CONSIDERATIONS

Recommended Method of Disposal: Disposal should be made in accordance with federal, state and local regulations.

US EPA Waste Number: D002 as per 40CFR 261.22

### 14. TRANSPORTATION INFORMATION

DOT (-9. 462.84 Tm0.0022 Tc0 TcpCCUR

Product name: <u>ltem No:</u> 82138