## MATERIAL SAFETY DATA SHEET

MSDS 0011

Section 1 PRODUCT AND COMPA		FION	====	
		HMIS CODES		
PRODUCT NAME		Health	1	
RectorSeal No. 5		Flammability	2	
		Reactivity	0	
PRODUCT CODES		PPI	В	
25631, 25551, 25431, 25300, 25271, 2519 CHEMICAL FAMILY: Organic USE	1, 25112, 257	80, 25790		
Pipe Thread Sealant				
MANUFACTURER'S NAME	FMFPCFNCV '	TELEDHONE NO		
The RectorSeal Corporation		EMERGENCY TELEPHONE NO. Chemtrec 24 Hours		
2601 Spenwick Drive		(800) 424-9300		
Houston, Texas 77055 USA	(000) 121	7300		
VALIDATION DATE	TECHNICAL S	SERVICE TELEPHONE	E NO.	
February 10, 2006	(800) 231-3345			
REVISION DATE				
February 10, 2006				
	=========		=====	
Section 2 COMPOSITION/INFORM	ATION ON INGR	EDIENTS		
% by WT CAS No. INGREDIENT	UNITS			
20-30 123-42-2 Diacetone Alcohol				
ACGIH TLV	50 ppm			
OSHA PEL	50 ppm			
	=======:	==========	=====	
11.4 Td6 -\$\deltac\delta\delta\delta\ellac\delta\central = \delta\central CC\delta\central CC\delta CC\delta O 969(-)-2.40	905(2)-2.40905	5( )-2.40905( )-2	.40905(D)-2.	

\_\_\_\_\_\_

## Section 4 -- FIRST AID MEASURES

\_\_\_\_\_\_

If INHALED: If overcome by exposure, remove victim to fresh air

immediately. Give oxygen or artificial respiration as

needed. Obtain emergency medical attention. Prompt

action

is essential.

If on SKIN: Wash with soap and water. If irritation occurs, seek

medical attention.

If in EYES: Flush eyes with large amounts of water for 15 minutes.

Get medical attention.

If SWALLOWED: If swallowed, call a physician immediately. Only induce

vomiting at the instruction of a physician. Never give

anything by mouth to an unconscious person.

\_\_\_\_\_\_

## Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT LEL UEL 150 F (65 C) SETA CC N/D N/D

EXTINGUSING MEDIA

Foam, dry chemical, carbon dioxide or water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus (SCBA) and other protective clothing. Hazardous decomposition products possible (see Section 10).

UNUSUAL FIRE AND EXPLOSION HAZARDS: Combustible - moderate flash point. Vapors heavier than air and may travel along the ground or to low spots at considerable distances to a source of ignition resulting in potential flashback. Burning liquid may float on water.

OTHER: N/A

PROTECTIVE GLOVES: Wear rubber gloves.

EYE PROTECTION: Chemical splash goggles (ANSI Z-87.1 or equivalent)

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: Coveralls recommended.

WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking, or leaving work area.

Launder contaminated clothing before reuse.

-----

Section 9 -- PHYSICAL AND CHEMICAL PROPERTIES

-----

Waste Classification: Non-regulated solid waste

Disposal Method: Approved landfill

Waste from this product is not considered hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Dispose of in accordance with Federal, State, and Local regulation regarding pollution.

\_\_\_\_\_\_

## Section 14 -- TRANSPORTATION INFORMATION

-----

DOT: Non-Regulated
OCEAN (IMDG): Non-Regulated
AIR (IATA): Non-Regulated
WHMIS (CANADA): Non-Regulated

\_\_\_\_\_\_

Section 15 -- REGULATORY INFORMATION

-----

REGULATORY DATA Ingredient Name

Diacetone Alcohol

SARA 313 N/A
TSCA Inventory Yes
CERCLA RQ N/A
RCRA Code N/A

\_\_\_\_\_\_

Section 16 -- OTHER INFORMATION

\_\_\_\_\_

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further information: (713) 263-8001