MSDS 0077

\_\_\_\_\_\_ Section 1 -- PRODUCT AND COMPANY IDENTIFICATION \_\_\_\_\_ HMIS CODES PRODUCT NAME Health RectorSeal T Plus 2 Flammability Reactivity PRODUCT CODES B 23710, 23631, 23551, 23431, 23391, 23271, 23191, 23112 CHEMICAL FAMILY: Organic USE Pipe Thread Sealant MANUFACTURER'S NAME EMERGENCY TELEPHONE NO. The RectorSeal Corporation Chemtrec 24 Hours (800) 424-9300 2601 Spenwick Drive Houston, Texas 77055 USA VALIDATION DATE TECHNICAL SERVICE TELEPHONE NO. February 10, 2006 (800) 231-3345 REVISION DATE February 10, 2006 \_\_\_\_\_\_ Section 2 -- COMPOSITION/INFORMATION ON INGREDIENTS \_\_\_\_\_\_ % bv WT CAS No. INGREDIENT UNITS None as defined by OSHA Hazard Communication Standard 29 CFR 1910.1200. \_\_\_\_\_\_ Section 3 -- HAZARDS IDENTIFICATION \_\_\_\_\_ SUMMARY OF ACUTE HAZARDS May produce slight to moderate skin and eye irritation. ROUTE OF EXPOSURE, SIGNS AND SYMPTOMS INHALATION None known. EYE CONTACT Irritation, watering may occur. SKIN CONTACT Frequent or prolonged contact may irritate and cause dermatitis. INGESTION May cause nausea and vomiting. Not expected to produce toxic effects unless large amounts are ingested. SUMMARY OF CHRONIC HAZARDS None known. MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE Individuals with pre-existing or chronic diseases of the eyes, skin or persons with chemical sensitivity may have increased susceptibility to excessive exposures. \_\_\_\_\_\_ Section 4 -- FIRST AID MEASURES \_\_\_\_\_\_ If INHALED: N/AIf on SKIN: Wash with soap and water. Seek medical attention if irritation persists.

If in EYES: Flush with large amounts of water.

Get medical attention if irritation persists.

If SWALLOWED: If swallowed, call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

Section 5 -- FIRE FIGHTING MEASURES

FLASH POINT LEL UEL

(Theoretical Percentage By Weight): 0% or (0 g/L)

Section 10 -- STABILITY AND REACTIVITY

STABILITY: Stable

CONDITIONS TO AVOID: None known.

INCOMPATIBILITY (MATERIALS TO AVOID): Gaseous oxygen and strong oxidizing materials.

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2 and fragmented hydrocarbons.

HAZARDOUS POLYMERIZATION: Will not occur.

Section 11 -- TOXICOLOGY INFORMATION

CHRONIC HEALTH HAZARDS

No ingredient in this product is an IARC, NTP or OSHA listed carcinogen.

## Section 16 -- OTHER INFORMATION

\_\_\_\_\_

This document is prepared pursuant to the OSHA Hazard Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, expressed or implied is made. Consult RectorSeal for further

information: (713) 263-8001