<u>MSDS</u>

HMIS CODES: H C F R PRODUCT NAME: #1018 - ALKYD RUST INHIBIT PRIMR - WHITE PRODUCT CODE: 00000000000001018 2 2 0 MANUFACTURER'S NAME: RICHARDS PAINT COMPANY ADDRESS : 200 PAINT STREET, ROCKLEDGE, FL 32955 EMERGENCY PHONE : 800-424-9300 DATE PRINTED : 6/13/05 INFORMATION PHONE : 321-636-6200 NAME OF PREPARER : RICHARD'S PAINT ======[SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION]======= VAPOR PRESSURE WETCHT REPORTABLE COMPONENTS PERCENT CAS NUMBER mm Hg @ TEMP 77 F ALIPHATIC HYDROCARBON (VM&P NAPHTHA) 64742-89-8 45 10.1% TO 15.0% OSHA PEL: 300ppm, ACGIH TLV: 300ppm AROMATIC HYDROCARBON (NAPTHA) 64742-95-6 4 68 F 5.1% TO 10.0% OSHA PEL: 100 mg/M3, ACGIH TLV: 100 mg/M3, OTHER: 100 mg/M3 *** No toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372 are present. *** N/A ======= [SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS] ======== BOILING RANGE: 279 deg F - 328 deg F WPG (H20=8.33): 12.68 lb/gl VAPOR DENSITY: HEAVIER THAN AIR EVAPORATION RATE: SLOWER THAN ETHER APPEARANCE & ODOR: N/A SOLUBILITY IN WATER: NON SOLUBLE COATING V.O.C.: 343 g/l COATING V.O.C.: 2.86 lb/gl ========= [SECTION IV - FIRE AND EXPLOSION HAZARD DATA] =========== FLASH POINT: 50 F METHOD USED: TCC FLAMMABLE LIMITS IN AIR BY VOLUME - LOWER: .9 UPPER: 12.6 EXTINGUISHING MEDIA:

Foam, Alcohol Foam, CO2, Dry Chemical, Water Fog

SPECIAL FIREFIGHTING PROCEDURES:

Self-contained breathing apparatus with a full face shield operated in the positive pressure demand mode when fighting fires involving chemicals. Water should not be used except as fog to keep nearby containers cool.

UNUSUAL FIRE AND EXPLOSION HAZARDS:

During emergency conditions, overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent. Get medical attention. Use Class B fire extinguishers designed to extinguish flammable liquids. Pressure build up and possible auto-ignition or explosion may occur when exposed to extreme heat.

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will Not Occur

CONDITIONS TO AVOID: Excessive heat, ignition sources, poor ventilation, corrosive atmospheres, excessive aging.

INCOMPATIBILITY:

Alkaline materials, strong acids and oxidizing agents.

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: Carbon dioxide, carbon monoxide, various hydrocarbons

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Inhalation: Excessive inhalation of vapors can cause nasal and respiratory irratation, dizziness, weakness, fatique, nausea, headache and possible unconsciousness.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Eye contact: Severe irritation, redness, tearing and blurred vision.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE:

Skin contact: Can dry and defat skin causing cracks, irritation and dermititis.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration of material into the lungs can cause chemical pneumonitis. CALL PHYSICIAN IMMEDIATELY AND HAVE THE NAMES OF ALL INGREDIENTS AVAILABLE.

HEALTH HAZARDS (Acute and Chronic):

Inhalation: Dizziness, breathing difficulty, headaches and loss of coordination. Eye contact: Severe irritation, tearing, redness and blurred vision. Skin contact: Can dry and defat skin causing cracks, irritation and demititis. Ingestion: Can cause gastrointestinal irritation, nausea, vomiting and diarrhea. Chronic overexposure: Central nervous system effects.

*** CARCINOGENICITY **

NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: Dermatitis, respiratory tract irratation.

EMERGENCY AND FIRST AID PROCEDURES:

Inhalation overexposure: Move person to fresh air. If breathing is difficult, administer oxygen. If breathing has stoppe give artificial respiration and get medical attention. Eye contact: Flush with large quantities of water for 15 minutes Skin contact: Wash thoroughly with soap and water. Remove contaminated clothing. Ingestion: Do not induce vomiting, can cause chemical pneumonitis and pulmonary edema. Contact a Physician immediately. If any symptoms persist get medical attention.

========= [SECTION VII -PRECAUTIONS FOR SAFE HANDLING AND USE] ======

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Eliminate ignition sources, provide good ventilation, dike spill area and cover with inert, absorbent material and remove to disposal container. Observe all relevant federal, state and local laws.

WASTE DISPOSAL METHOD:

Consult local, state and federal hazardous waste regulations before disposing into approved hazardous waste landfills. Obey relevant laws. ** DO NOT INCINERATE CLOSED CONTAINERS **

.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Use in well ventilated areas. Keep containers closed when not in use. Keep away from excessive heat and open flames.

OTHER PRECAUTIONS: