

Stay Soft Plumbers Putty

Material Safety Data Sheet

Information on this form is furnished solely for the purpose of compliance with the Occupational Safety and Health Act and shall not be used for any other purpose. Black Swan Manufacturing Co. urges the customers receiving this Material Safety Data Sheet to study it carefully to become aware of the hazards, if any, of the product involved. In the interest of safety, you should notify your employees, agents, and contractors of the information on the sheet.

SECTION I - GENERAL INFORMATION	
Black Swan Manufacturing Co. 4 40 W. Thomas Street Chicago, IL 60607 1-331 Telephone No 1-3-22-3-00 Fax No 1-3-22-3-077	For chemical emergencies during transportation only call INFOTRAC 1-800-535-5053 24 hours per day - 7 days a week
Date Prepared 1/1/07	Trade Name STAY SOFT PUTTY
SECTION II - HAZARDOUS INGREDIENTS / IDENTITY INFORMATION	

SPECIFIC GRAVITY (H2O=1) 2.14	VAPOR PRESSURE (mm Hg.) N/A	VOLATILE BY VOLUME (%) N/A
VAPOR DENSITY (AIR=1) N/A	EVAPORATION RATE (BUAC=1) N/A	SOLUBILITY IN WATER INSOLUBLE
SECTION IV - FIRE AND EXPLOSION HAZARD DATA		

FLASH POINT (METHOD USED)

STABILITY	UNSTABLE		CONDITIONS TO AVOID
	STABLE	X	NONE
INCOMPATIBILITY (MATERIALS TO AVOID)			
STRONG OXIDIZERS			
HAZARDOUS DECOMPOSITION PRODUCTS			
CARBON DIOXIDE AND CARBON MONOXIDE MAY BE RELEASED ON BURNING.			
HAZARDOUS POLYMERIZATION	MAY OCCUR		CONDITIONS TO AVOID
	WILL NOT OCCUR	X	N/A
SECTION VII - SPILL OR LEAK PROCEDURES			

OTHER PRECAUTIONS

This information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.