

The Valvoline Company

Date Prepared: 07/24/03

MSDS No: 505.0394062-001.001I

DURABLEND ATF DEXRONIII/MERCON V 6/1 QT

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Material Identity

Product Name: DURABLEND ATF DEXRONIII/MERCON V 6/1 QT

Company

The Valvoline Company
P.O. Box 14000
Lexington, KY 40512

Telephone Numbers

Emergency: 1-800-274-5263
Information: 1-859-357-7206

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient(s)	CAS Number	% (by weight)
DISTILLATES, PETROLEUM, HYDROTREATED HEAVY P	64742-54-7	77.0- 87.0
AUTOMATIC TRANSMISSION FLUID ADDITIVE		4.4- 14.0
VISCOSITY INDEX IMPROVER		3.8- 14.0
POLYALKYLMETHACRYLATE		1.6- 12.0

3. HAZARDS IDENTIFICATION

Potential Health Effects

Eye

Can cause eye irritation.

Skin

Prolonged or repeated contact may dry and crack the skin. Additional symptoms of skin contact may include: acne, Passage of this material into the body through the skin is possible, but it is unlikely that this would result in harmful effects during safe handling and use.

Swallowing

Swallowing small amounts of this material during normal handling is not likely to cause harmful effects.

Inhalation

It is possible to breathe this material under certain conditions of handling and use (for example, during heating, spraying, or stirring). Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Symptoms usually occur at air concentrations higher than the recommended exposure limits (See Section 8).

Symptoms of Exposure

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include: stomach or intestinal upset (nausea, vomiting, diarrhea) irritation (nose, throat, airways).

Target Organ Effects

No data

Developmental Information

There are no data available for assessing risk to the fetus from

5. FIRE FIGHTING MEASURES

Flash Point

210.0 F (98.8 C)

Explosive Limit

No data

Autoignition Temperature

No data

Hazardous Products of Dln

observed. Precautions during use: avoid prolonged or frequently repeated skin contact with this material. Skin contact can be minimized by wearing impervious protective gloves. As with all products of this nature, good personal hygiene is essential. Hands and other exposed areas should be washed thoroughly with soap and water after contact, especially before eating and/or smoking. Regular laundering of contaminated clothing is essential to reduce indirect skin contact with this material.

Storage

Containers should be stored in a cool, dry, well-ventilated area. Store away from flammable materials, sources of heat and flame and foodstuffs. Exercise caution to prevent damage to or leakage from the container. Guard against water contamination to prevent decomposition.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection

Chemical splash goggles in compliance with OSHA regulations are advised; however, OSHA regulations also permit other type safety glasses. Consult your safety representative.

Skin Protection

Not normally required. However, wear resistant gloves such as nitrile rubber to prevent irritation which may result from prolonged or repeated skin contact with product.

Respiratory Protections

If workplace exposure limit(s) of product or any component is exceeded (See Exposure Guidelines), a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control. OSHA regulations also permit other NIOSH/MSHA respirators (negative pressure type) under specified conditions (consult your industrial hygienist). Engineering or administrative controls should be implemented to reduce exposure.

Engineering Controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below level of overexposure (from known, suspected or apparent adverse effects).

Exposure Guidelines

Component

DISTILLATES, PETROLEUM, HYDROTREATED HEAVY PARAFFINIC (64742-54-7)
OSHA VPEL 5.000 mg/m³ - TWA
ACGIH TLV 5.000 mg/m³ - TWA

AUTOMATIC TRANSMISSION FLUID ADDITIVE
No exposure limits established

VICOSITY INDEX IMPROVER
No exposure limits established

POLYALKYLMETHACRYLATE
No exposure limits established

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point
No data

Vapor Pressure
(for product)

.000

Specific Vapor Density
No data

Specific Gravity
.849 @ 60.00 F

Liquid Density
7.070 lbs/gal @ 60.00 F
7.070 lbs/gal @ 60.00 F

Percent Volatiles (Including Water)
No data

Evaporation Rate
No data

Appearance
CLEAR, DRY, & BRIGHT

State
LIQUID

Physical Form
No data

Color
RED

Odor
No data

pH
No data

Viscosity
7.1 cst @ 100 C
33.7 cst @ 40 C

10. STABILITY AND REACTIVITY

Hazardous Polymerization
Product will not undergo hazardous polymerization.

Hazardous Decomposition
May form: carbon dioxide and carbon monoxide, oxides of sulfur,
nitrogen and phosphorus, various hydrocarbons.

Chemical Stability
Stable.

Incompatibility

Avoid contact with: strong oxidizing agents.

11. TOXICOLOGICAL INFORMATION

No data

12. ECOLOGICAL INFORMATION

No data

13. DISPOSAL CONSIDERATION

Waste Management Information

Dispose of in accordance with all applicable local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT Information - 49 CFR 172.101

DOT Description:

Not Regulated

Container/Mode:

CASES/SURFACE - NO EXCEPTIONS

NOS Component:

None

RQ (Reportable Quantity) - 49 CFR 172.101

Not applicable

15. REGULATORY INFORMATION

US Federal Regulations

TSCA (Toxic Substances Control Act) Status

TSCA (UNITED STATES) The intentional ingredients of this product are listed.

CERCLA RQ - 40 CFR 302.4

None

AICS (AUSTRALIA) This material or a component requires notification before sale or importation.

ECL (SOUTH KOREA) The intentional ingredients of this product are listed.

ENCS (JAPAN) This material or a component requires notification before sale or importation.

PICCS (PHILIPPINES) This material or a component requires notification before sale or importation.

State and Local Regulations

California Proposition 65

None

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances.

Last page