Section 1. Chemical Product and Company Identification

Product Use

Insecticide.

This product is a registered pesticide. Number: 1270-253

For MSDS Information:

Acuity Specialty Products Group, Inc.

Compliance Services 1-877-I-BUY-ZEP (428-9937)

For Medical Emergency

INFOTRAC:

(877) 541-2016 Toll Free - All Calls Recorded

For a Transportation Emergency

CHEMTREC:

(800) 424-9300 - All Calls Recorded In the District of Columbia (202) 483-7616

HMIS

2

0

A

Health

Fire Hazard

Personal Protection

Reactivity

Printing date: 04/21/06

Section 2. Composition, Information on Ingredien Name of Hazardous Ingredients	CAS#	% by Weight	Exposure Limits	
HYDROCARBON PROPELLANT; blend of propane & isobutane	75-28-5; 74-98- 6	5 - 15	ACGIH TLV / OSHA PEL (United States). Notes: Propane TWA: 1000 ppm 8 hour(s).	
ISOPARAFFINIC SOLVENT; hydrotreated light distillate (petroleum)	64742-47-8	5 - 15	TWA: 300 ppm	
PIPERONYL BUTOXIDE; alpha-(2-(2-butoxyethoxy)ethoxy)-4,5- (methylenedioxy)-2-propyl-toluene	51-03-6	0.50	Not established	
PYROCIDE (R) 175; Pyrethrins	8003-34-7	0.10	ACGIH TLV (United States). : 5 mg/m³ OSHA PEL (United States). : 5 mg/m³	
Permethrin	52645-53-1	0.20	Not established	

Section 3. Hazards Identification

•				_				
Δ	\sim	т	Α.	ы	m	Δ	•	ŀe
_	•	ш		_		_		Lo

Routes of Entry Dermal contact. Eye contact Inhalation.

Skin

May cause slight irritation in sensitive individuals. Prolonged or repeated contact may dry

skin and cause irritation.

Eyes

Causes eye irritation. Inflammation of the eye is characterized by redness, watering, and

itching.

Inhalation Avoid inhalation of vapors and spray mist. Over-exposure by inhalation may cause

respiratory irritation.

Ingestion DO NOT swallow. Aspiration hazard if swallowed- can enter lungs and cause damage.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse health effects are lessened by following all prescribed safety precautions, including use of proper personal protective equipment.

Carcinogenic Effects

Classified C (Possible for human.) by EPA [Piperonyl Butoxide].

Chronic Effects

Inhalation of high concentrations of vapour may affect the central nervous system. Repeated or prolonged inhalation of vapors may lead to chronic respiratory irritation. Prolonged or repeated contact may dry skin and cause irritation.

See Toxicological Information (section 11)

Section 4. First Aid Measures

Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 **Eye Contact**

minutes, keeping eyelids open. Get medical attention.

Skin Contact Inhalation

In case of contact, immediately flush skin with plenty of water. Get medical attention if irritation develops. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give

oxygen. Get medical attention.

Aspiration hazard if swallowed- can enter lungs and cause damage. Do NOT induce vomiting unless Ingestion

directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get

medical attention immediately.

Section 5. Fire Fighting Measures

Not applicable.

QUANTIENTIŞ UNDERRERIKLES BÜZELİ, auE75.6 3487519.TD -0.139 (CONTENTS UND6re4fe4SF1 Te5Fler PRESF64 -10.92

Cool containing vessels with water jet in order to prevent pressure buildup, autoignition or explosion. Do not release runoff from fire to sewers or waterways.