

# MSDS - Material Safety Data Sheet

## I. Basic Information:

**Manufacturer:** RADIATOR SPECIALTY COMPANY

**Address:** 600 RADIATOR ROAD

**City, ST Zip:** INDIAN TRAIL, NC 28079

**Country:**

**Contact:** Robert Geer

**Information Telephone Number:** 704-688-3430

**Emergency Contact:** Rocky Mountain Poision Control Center

**Emergency Telephone Number:** 303-623-5716

**Emergency Restrictions:**

**Product Name:** PUNCTURE SEAL INSTANT TIRE REPAIR (UPC: 078698131566)

**MSDS No.:** M1118

**Issue Date:** 01/03/2007

**Supersedes Date:** 11/16/2005

## II. Hazards Identification:

### EMERGENCY OVERVIEW

Caution: Eye and Skin Irritant. Contents Under Pressure.

Level 1 Aerosol

### OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Potential Health Effects

#### **Route(s) of Entry:**

Absorption, Inhalation, and Ingestion.

#### **Health Hazards (Acute and Chronic):**

See signs and symptoms below

#### **Signs and Symptoms:**

Eye Contact: Direct spray of vapors may be irritating or harmful to eyes.

Skin Contact: Product may cause irritation due to defatting of skin.

Inhalation: High concentration of vapors may irritate nose and throat and cause headaches and nausea.

Ingestion: Can cause irritation, gastric disturbances, nausea.

#### **Medical Conditions Generally Aggravated by Exposure:**

None known

#### **Other Health Warnings:**

None known

### Potential Environmental Effects

Not Available

## III. Composition/Information on Ingredients:

% Range

# MSDS - Material Safety Data Sheet

**Note to Physicians:**

N/A

**V. Fire Fighting Measures:****Suitable Extinguishing Media:**

Water Fog, Foam, Carbon Dioxide, Dry Chemical

**Unsuitable Extinguishing Media:**

Wear self-contained positive pressure breathing apparatus and protective clothes. Cool containers with a water fog. Do not use forced water stream as this could cause the fire to spread. Use shield to protect from rupturing and venting containers.

**Products of Combustion:**

Contents are under pressure. At elevated temperatures, containers may vent or burst violently, causing serious injury.

**Protection of Firefighters:**

Wear protective clothes and equipment.

**VI. Accidental Release Measures:****Personal Precautions:**

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

**Environmental Precautions:**

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred.

**Methods for Containment:**

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

Neutralize remaining traces of material and

# *MSDS - Material Safety Data Sheet*

Evaporation Rate (Butyl Acetate = 1): 0.2

# MSDS - Material Safety Data Sheet

DOT Hazard Class: ORM-D  
Shipping Name: Consumer Commodity

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for international and air shipping purposes.

<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	<input type="checkbox"/> <input type="checkbox"/>	